

ABOUT US

It all started with a love for nature and a knack for numbers.

HempWood® Founder Greg Wilson says that his passion for nature stems from his upbringing. "I have been blessed to be born into a lineage of outdoorsmen. My father and grandfather have taught me to live off the land and the importance of putting mother nature first."

Greg went on to get a degree in engineering and left the United States to work in the bamboo flooring mills of Anji, China. During his fourteen-year career, Greg was tasked with researching biomaterials to make hardwood. He tested over 200 plant species using an algorithm he developed in college and discovered HempWood.

To date, the HempWood manufacturing is based in Murray, Kentucky, using a carbon negative process and locally-grown hemp. As the first USDA Certified BioPreferred hardwood flooring made in America, Fibonacci, LLC continues to pioneer the way for healthy, sustainable building materials.



GREG WILSON FOUNDER

OUR TEAM



Working hard to create an excellent product and to provide great service.

We pride ourselves on our commitment to putting our all into what we do, which lets us bring you the best product possible.

Our leadership team are owners of the business and are dedicated to bringing you high-quality customer service —

When you call us, you are talking to our hardworking team in western Kentucky, not a call center.



Greg Wilson
Founder and CEO
Phone
(240) 291–0120
Email
gwilson@hempwood.com



Commercial Sales

Phone
(865) 806–9997

Email
bhuber@hempwood.com

Baron Huber



Tom Mathys
EU Director
Phone
+32 468 137224
Email
tmathys@hempwood.com

Contact Us

HempWood's in-house team is ready to answer your questions about our products, process an order, or direct you to the right person to fulfill your needs.

Phone

888-338-1235

7 AM - 7 PM CSTMON-SAT

Email

sales@hempwood.com

Address

301 Rockwood Road Murray, KY 42071

Website

www.hempwood.com

OUR PROCESS



FARMING & GLUING

All of our hemp is sourced from within 100 miles of the HempWood® Headquarters in Murray, Kentucky. Local farmers grow this carbon–sequestering crop until maturity and then it is delivered to the facility. Upon arrival, the hemp is put through a roller to open the cell structure, which allows for the proteins of the plant–based adhesive to penetrate the material. After submerging the material in no VOC, plant–based adhesive, the material is spread out on racks for the drying process.

PRESSING & BAKING

After drying and achieving a tacky-like texture, the dried material is portioned for pressing. The material is first placed into the pre-press, which allows for equal density and distribution in the HempWood® Blocks. After pre-pressing, the material is pushed through to the main press that utilizes 3,000 tons of pressure. The material is pressed into 5.5" x 5.5" x 6' steel mold and baked. After baking, the HempWood is extruded from the steel molds and cut.



PRODUCTS & DISTRIBUTION

HempWood® Natural Flooring, Lumber, Paneling, Woodturning Blanks, Cabinet Kits, and Picture Frames are all made from HempWood® Blocks. HempWood® Lumber is a non-structural hardwood intended for cabinetry, furniture, and other hobby wood applications. HempWood® Natural Flooring is an engineered flooring product that is comparable to American white oak. HempWood® products can be purchased factory direct or from a dealer in your area.

OUR PARTNERS



BONA® SEALERS AND FINISHES

The world's leading waterborne finish, providing unsurpassed scuff, scratch and chemical resistance. Bona Traffic HD® is for hardwood floor owners with an uncompromising attitude towards durability, lasting beauty and sustainable solutions. Significantly outperforms all urethane finishes, including Bona Traffic, in durability at 24 hours. Very low VOC – less than 150 g/L, nonflammable and non-offending odor.



CARGILL® PROLIA SOY FLOUR

Emission of volatile organic compounds and hazardous air pollutants can contribute to a variety of unhealthful conditions. Soy flour adhesives, like Cargill's Prolia™ soy flour — a co-product that remains after oil is extracted from soybeans — are a natural replacement for formaldehyde and phenol-based resins that have been targeted for removal from wood materials.



PUREBOND® HARDWOOD PLYWOOD

PureBond® is Columbia Forest Products' exclusive formaldehyde-free innovation for hardwood plywood assembly. Columbia's decorative panels are also conform to U.S. Green Building Council's Leadership in Energy and Environmental Design (LEED) standards by meeting exempt emissions classification within the California Air Resources Board (CARB) Air Toxic Control Measure (ATCM) referenced by LEED V4.

INSTITUTIONAL PARTNERS

















WHY HEMPWOOD?

HempWood is a uniquely beneficial material for projects with high sustainability, health, and durability standards. For commercial projects, HempWood can help architects and designers achieve LEED® and other environmental certifications. For residential builds, HempWood can help create healthier spaces that benefit families by contributing to improved indoor air quality with its formaldehydefree, zero-VOC formula.



ZERO-VOC



MADE IN USA



DURABLE



CARBON NEGATIVE



WATER RESISTANT



HEMPWOOD® ORGANIC FLOORING

PRODUCT SPECIFICATIONS

HempWood® Organic Flooring

Dimension 5/8 x 4.5 or 5 x up to 72"

ConstructionEngineeredLockGradeSandedPlank Edge

Coating Unfinished or Prefinished Plank Finish

INSTALLATION

Nail Down

Moisture

· Glue Down

• Floating (Glue Assist) RESIDENTIAL ONLY.

8% +/- 2%

Standard

Flat

Tongue & Groove

For more information about installation, please visit our <u>Installation Instructions</u>.

WARRANTY


Premium Select

Commercial 5 Years Residential Lifetime

Character Grade

Residential 25 Years

COLOR SELECTION















HEMPWOOD ORGANIC FLOORING

ABOUT

There are two categories of HempWood Organic Flooring - Premium Select and Character. Premium Select is intended for residential and commercial-grade applications. Character is intended for solely for residential applications.

FORMAT

Both Premium Select and Character Grade are constructed on an engineered format, meaning that plywood is used for the substrate and a HempWood is the top layer. Both categories, use the same materials, including adhesives, sealers, and finishes.

INSTALLATION

HempWood Organic Flooring can be installed like other engineered hardwoods. Nailing, gluing, and floating (with a glue assist) are all options for installation.

SPECIFICATIONS

Grade: Premium Select

Grain: Rift

Color: Natural, Ice, Granite, Taupe, or Bourbon Visual: Limited color variation and character

Specification: 5/8"x5"x up to 72" Construction: Engineered

Grade: Sanded

Coating: Bona Traffic HD Moisture: 9% +/- 2% Lock: Tongue and groove

Plank Edge: Bevel Plank Finish: Flat

WARRANTY

Premium Select

- LIFETIME limited residential
- 5 year limted commercial

PREMIUM SELECT

- More water resistant than Character
- More scratch resistant than Character
- · Neater, tighter grain pattern
- · Uniform color
- Free of knots & blemishes

5"

Grade: Character

Grain: Rift

Color: Natural, Ice, Granite, Taupe, or Bourbon Visual: Some color variation and character

Specification: 5/8"x4.5"x up to 72" or 5/8"x4"x up to 72"

Construction: Engineered

Grade: Sanded

Coating: Bona Traffic HD Moisture: 9% +/- 2% Lock: Tongue and groove

Plank Edge: Bevel Plank Finish: Flat

Character

• 25 year limited residential



HempWood flooring is 95% biobased.

CHARACTER

- Water resistant up to 2 hours
- Scratch resistant
- Narrower plank
- Color variation (L/M/D)
- Knots & blemishes visible



HEMPWOOD® LUMBER

HempWood® Lumber is intended for interior applications, such as furniture and cabinetry. Our lumber outperforms other hardwoods and is also priced competitively with the hardwood market.

PRODUCT SPECIFICATIONS

HempWood® Lumber

Construction Solid Workability Mill, Turn, Saw, Drill, **Grit Level** 120 Engrave, or Sand

Moisture 9% +/- 2% Sawn Rift or Live

AVAILABLE SIZES

72" Boards

8/4" x 5.25" x up to 72" 4/4" x 5.25" x up to 72" 3/4" x 5.25" x up to 72" 1/2" x 5.25" x up to 72" 1/4" x 5.25" x up to 72" 3/16" x 5.25" x up to 72"

48" Boards

8/4" x 5.25" x up to 48" 4/4" x 5.25" x up to 48" 3/4" x 5.25" x up to 48" 1/2" x 5.25" x up to 48" 1/4" x 5.25" x up to 48" 3/16" x 5.25" x up to 48"

Blocks

5.5" x 5.5" x 72"



LIVE SAWN



RIFT SAWN





HempWood Lumber is 96% biobased.

HEMPWOOD® PANELS

Our engineered panels are HempWood top layers laminated onto FSC Certified PureBond Plywood. Our 3-Layer Panels are constructed from cross-laminated solid HempWood. These panels are perfect for cabinetry, shelving, and furniture.

AVAILABLE SIZES

Single Sided	lb/ft²	Double Sided	lb/ft²	3-Layer	lb/ft²
5/8 x 48 x 96"	2	3/4 x 48 x 96"	3	3/4 x 48 x 96"	4.8
4/4 x 48 x 96"	2.2	4/4 x 48 x 96"	3.2	5/4 x 48 x 96"	8
5/8 x 48 x 48"	2	3/4 x 48 x 48"	3	3/4 x 48 x 72"	4.8
4/4 x 48 x 48"	2.2	4/4 x 48 x 48"	3.2	5/4 x 48 x 72"	8



ZERO VOC



MADE IN USA



COMMERCIAL GRADE



CARBON NEGATIVE



WATER RESISTANT



SINGLE SIDED
HempWood
FSC-Certified PureBond Plywood



DOUBLE SIDED
HempWood
FSC-Certified PureBond Plywood



I I V F



3-LAYER HempWood



RIFT









STATEMENT WALLS

CREATE A UNIQUE STATEMENT IN YOUR SPACE

Another creative application of HempWood® Natural Flooring is statement walls, which are able to be applied in a variety of patterns and finishes. Statement walls can be applied in a chic reclaimed pattern with multiple color finishes, a classic and stylish herringbone pattern, or a casual straight-lay pattern.




ABOUT


HempWood offers a selection of made-to-order accessories to complement our Organic Flooring in form and function. All of our accessories are made of HempWood and are offered in the same finishes and colors as our flooring.



SOLID STAIR



ENGINEERED STAIR



TRANSITIONS



T-MOLDING

Color: Natural, Oak, Bourbon, Ice, Taupe 5/8 x 2.5 x up to 96"
1 x 3 x up to 96"



REDUCER

Color: Natural, Oak, Bourbon, Ice, Taupe 5/8 x 2.5 x up to 96" 5/8 x 3 x up to 96"

STAIR ACCESSORIES



STAIR TREAD

Solid Square Nose Color: Natural, Oak, Bourbon, Ice, Taupe 5/8 x 11 x 33.5" (1.5" drop) Riser sold separately.



STAIR NOSE

Solid Square Nose or Rounded Nose Color: Natural, Oak, Bourbon, Ice, Taupe 5/8 x 3 x up to 96"





COMMERCIAL & INSTITUTIONAL USE

HempWood® Organic Flooring and Panels are the perfect building materials for schools, universities, healthcare facilities, and government buildings that have sustainability and health requirements. HempWood's zero-VOC formula, ASTM E648 Class 1 fire rating, and carbon negative footprint make it an exceptional choice for instutional and commercial use.



Warren County Public Schools



Murray State



University of Kentucky







Chipotle



LEED POINTS

- 601.5 Prefabricated components
- 604.1 Recycled content
- 606.1 Biobased products
- 608.1 Resource-efficient material
- 611.2 Sustainable products

HEALTHY MATERIALS

A plant-based adhesive makes for no VOC flooring. Resulting in cleaner indoor air quality and higher cognitive ability. "On average, cognitive scores were 61% higher" (Environmental Health Perspectives).

Product	Supplier	Installed cost
HempWood	HempWood	\$15
Terrazzo	Martina Bros	\$30
Densified Oak or Hickory	Nydree	\$20
Reclaimed Oak	TN Wood Flooring	\$18
Porcelain Tile	Daltile	\$15

CARBON NEGATIVITY

Hemp is a powerful plant. Estimates show that for every ton of hemp grown, 1.62 tons of carbon dioxide is removed. Additionally, our manufacturing process utilizes bio and hydro energy to make a carbon-negative building material.





HEMPWOOD FLOORING IS 95% BIOBASED

INSTALLATION RECOMMENDATIONS

- · Approved asbestos encapsulation method
- Warranted install over VCT Tile.
- Ensure VCT is secured subfloor.
- Ensure that the moisture levels are in accordance with HempWood Installation Instructions.
- For preparation, abrade the surfaces and clean up any debris.
- For installation, adhere the flooring to the subfloor as normal. Reference the HempWood Installation Instructions for adhesive recommendations. For commercial applications, square-edge, site-finished flooring is recommended.

Test Results						
Item	Standard	Result				
Density	ASTM D2395	60 lbs/ft3 or 960 kg/m3				
Hardness	ASTM D1037 -6a (Janka Ball) 2,200 lbf					
Dimensional Stability	ASTM D1037 (20-90% RH)	Swell 0.02/0.06/ 0.77%				
Fire Rating	ASTM E 648	Rating: Class 1				
Abrasion Resistance*	ASTM 1037	1600-1800 revs (WRO)				
Scratch Resistance*	ASTM 1037	21N				
Slip Resistance*	BGR 151/DIN 51 130	R1O				
Formaldehyde Emissions*	CARB 2 & TSCA VI	Compliant				
VOCs Emissions*	ASTM D6007-14	BLQ = <0.008ppm				















PureBond® Plywood - FSC® Certified -



FRAMES

HempWood Frames are a great way to exhibit art or show off diplomas. We offer frames in two standard sizes and any of our original colors.

AVAILABLE SIZES:

15 x 17" | 22 x 19" | Custom Sizing

Get Creative: HempWood Frames aren't just for pictures — You can also create beautiful mirrors from our frames.





PANELS & FURNITURE

HEMPWOOD TABLETOPS

Get the chance to work hands-on with this innovative and stunning material. The product of your work is an artful, functional piece of furniture. The process is easy: You purchase the tabletop, we ship the supplies, and you follow along with our easy instructions and tutorial videos.

AVAILABLE SIZES:

Desk (24 x 48") | 4 Top (48 x 48") | 6 Top (42 x 72") | Boardroom (4' x 8') | Custom Sizing

WOODTURNING BLANKS

1.



2.



HempWood turning blanks let you create custom projects from solid HempWood. Choose from eight pre-sized blanks for your next project.

1. BOTTLE STOPPER

2 x 2 x 2 ½"

3.



4.



2. BOWL

3 x 5¼ x 5¼"

3. COASTER (PACK OF 4)

4 x 4 x ½"

4. GAME CALL (2 PACK)

2 x 2 x 3"

5.



6.



5. PEPPERMILL

3 x 3 x 12"

6. BEAD (3 PACK)

1 x 1 x 10"

7. PEN (4 PACK)

3/4 x 3/4 x 5 1/2"

7.





8. KNIFE HANDLE

3/4 x 1 7/8 x 5"

SAMPLE PACKS

HempWood Sample Packs are the best way to get familiar with this versatile, healthy material. Curious? Visit our website or call (888) 338–1235 to order.



A. ARCHITECTURE & DESIGN PACK

Our most popular pack includes flooring, lumber, and panel samples — Perfect for showcasing all of HempWood's design possibilities.

INCLUDES

5/8 x 5 x 8" Premium Select Flooring Samples: Natural, Oak, Ice, Bourbon, Taupe 4/4 x 1.75 x 4" Lumber Samples: Live and Rift Sawn 4/3 x 4 x 4" 3-Layer Panel Sample: Rift Sawn

B. CRAFTSMAN SAMPLE PACK

This pack was made for those who make and create. Want to test new material for your upcoming project? The Craftsman Pack comes with sizeable lumber and panel samples.

INCLUDES

 $5/8 \times 6 \times 8$ " Panel Samples: Live and Rift Sawn $4/4 \times 2 \times 8$ " Lumber Samples: Live and Rift Sawn $1.25 \times 4 \times 4$ " 3-Layer Panel Sample $3/4 \times 4 \times 4$ " 3-Layer Panel Sample

C. FLOORING SAMPLE PACK

This collection comes with three prefinished flooring samples. You can choose three colors from our collection when you order.

INCLUDES

Your choice of three flooring samples.

Color options:

Site Finished, Natural, Oak, Ice, Taupe, Bourbon



888-338-1235

Address

301 Rockwood Road Murray, KY 42071

Website

www.hempwood.com

Email

sales@hempwood.com











